

Advanced Materials**Araldite® LT 8049 Crystal**

ARALDITE® LT 8049 CRYSTAL IS A SOLID BROMINATED EPOXY RESIN

GENERAL

Araldite® LT 8049 Crystal contains approximately 50% bromine. It is particularly suitable for highly modified laminating systems which require fire retarding properties. It can be blended with conventional epoxy resins to produce systems with the desired handling and performance properties.

TYPICAL PROPERTIES*

Test Item	Limits	Test Method
Appearance	White flakes	Visual
Epoxy Equivalent, g/eq.	322 - 357	ISO 3001
Epoxy Value, eq./kg	2.80 - 3.10	ISO 3001
Melting Point, °F (°C)	221 - 239 (105 - 115)	ISO 3146
Bromine Content, %	47.0 - 50.0	X-Ray, PM 272
Color	≤ 2	Gardner, ISO 4630
Hydrolysable chlorine content, ppm	≤ 300	ISO 4583
Density @ 77°F (25°C)	~ 1.8	ISO 8130
Flash Point, °F (°C)	≥ 392 (200)	ISO 2592

* Typical properties are based on Huntsman's test methods. Copies are available upon request.

PACKAGING & STORAGE

Araldite® LT 8049 Crystal is packaged in 55 pound (25 kg) bags. When stored in a dry place in its original packaging at a temperature within 36°F to 104°F (2°C to 40°C), Araldite® LT 8049 Crystal has a 3 year shelf-life.

HANDLING PROCEDURES

Araldite® LT 8049 Crystal is a solid at room temperature. Handle in a well ventilated area and avoid dust formation.

PRECAUTIONARY STATEMENT

Huntsman Advanced Materials Americas LLC maintains up-to-date Material Safety Data Sheets (MSDS) on all of its products. These sheets contain pertinent information that you may need to protect your employees and customers against any known health or safety hazards associated with our products. Users should review the latest MSDS to determine possible health hazards and appropriate precautions to implement prior to using this material.

First Aid!

Refer to MSDS as mentioned above.

**KEEP OUT OF REACH OF CHILDREN
FOR PROFESSIONAL AND INDUSTRIAL USE ONLY**

IMPORTANT LEGAL NOTICE

Sales of the product described herein ("Product") are subject to the general terms and conditions of sale of either Huntsman Advanced Materials LLC, or its appropriate affiliate including without limitation Huntsman Advanced Materials (Europe) BVBA, Huntsman Advanced Materials Americas Inc., or Huntsman Advanced Materials (Hong Kong) Ltd. ("Huntsman"). The following supersedes Buyer's documents.

Huntsman warrants that at the time and place of delivery all Products sold to Buyer shall conform to the specifications provided to Buyer by Huntsman.

While the information and recommendations included in this publication are, to the best of Huntsman's knowledge, accurate as of the date of publication, NOTHING CONTAINED HEREIN (EXCEPT AS SET FORTH ABOVE REGARDING CONFORMANCE WITH SPECIFICATIONS PROVIDED TO BUYER BY HUNTSMAN) IS TO BE CONSTRUED AS A REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT OF ANY INTELLECTUAL PROPERTY RIGHTS, OR WARRANTIES AS TO QUALITY OR CORRESPONDENCE WITH PRIOR DESCRIPTION OR SAMPLE, AND THE BUYER ASSUMES ALL RISK AND LIABILITY WHATSOEVER RESULTING FROM THE USE OF SUCH PRODUCT, WHETHER USED SINGLY OR IN COMBINATION WITH OTHER SUBSTANCES.

No statements or recommendations made herein are to be construed as a representation about the suitability of any Product for the particular application of Buyer or user or as an inducement to infringe any patent or other intellectual property right. Buyer is responsible to determine the applicability of such information and recommendations and the suitability of any Product for its own particular purpose, and to ensure that its intended use of the Product does not infringe any intellectual property rights.

The Product may be or become hazardous. The Buyer should obtain Material Safety Data Sheets and Technical Data Sheets from Huntsman containing detailed information on Product hazards and toxicity, together with proper shipping, handling and storage procedures for the Product, and should comply with all applicable governmental laws, regulations and standards relating to the handling, use, storage, distribution and disposal of, and exposure to the Product. Buyer shall also take all steps necessary to adequately inform, warn and familiarize its employees, agents, direct and indirect customers and contractors who may handle or be exposed to the Product of all hazards pertaining to and proper procedures for safe handling, use, storage, transportation and disposal of and exposure to the Product, and the containers or equipment in which the Product may be handled, shipped or stored.

Araldite is a registered trademark of Huntsman LLC or an affiliate thereof in one or more countries, but not all countries.

© 2012 Huntsman Advanced Materials Americas Inc.

Main Offices :
Huntsman Corporation
10003 Woodloch Forest Dr.
The Woodlands
Texas 77380
(281) 719-6000

**Huntsman Advanced Technology
Center**
8600 Gosling Rd.
The Woodlands
Texas 77381
(281) 719-7400