

**ARALDITE® LY 1564 SP US**

Version 1.0      Revision Date: 07/17/2017      SDS Number: 400001013261      Date of last issue: -  
Date of first issue: 07/17/2017

**SECTION 1. IDENTIFICATION**

Product name : ARALDITE® LY 1564 SP US

**Manufacturer or supplier's details**

Company name of supplier : Huntsman Advanced Materials Americas LLC  
Address : P.O. Box 4980  
The Woodlands,  
TX 77387  
United States of America (USA)  
Telephone : Non-Emergency: (800) 257-5547  
E-mail address of person responsible for the SDS : MSDS@huntsman.com

Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

**Recommended use of the chemical and restrictions on use**

Recommended use : Epoxy resin solution

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with 29 CFR 1910.1200**

Skin irritation : Category 2  
Serious eye damage : Category 1  
Skin sensitisation : Category 1  
Acute aquatic toxicity : Category 2  
Chronic aquatic toxicity : Category 2

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of

**ARALDITE® LY 1564 SP US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/17/2017	400001013261	Date of first issue: 07/17/2017

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

**Storage:**

Not available

**Disposal:**

P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	70 - 90
1,4-bis(2,3-epoxypropoxy)butane	2425-79-8	10 - 20

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

**SECTION 4. FIRST AID MEASURES**

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.

**ARALDITE® LY 1564 SP US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/17/2017	400001013261	Date of first issue: 07/17/2017

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

Most important symptoms and effects, both acute and delayed : None known.

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : No data is available on the product itself.

Unsuitable extinguishing media : High volume water jet

Specific hazards during firefighting : No data is available on the product itself.

Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

No data is available on the product itself.

Specific extinguishing methods : No data is available on the product itself.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

**ARALDITE® LY 1564 SP US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/17/2017	400001013261	Date of first issue: 07/17/2017

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform  
respective authorities.

Methods and materials for  
containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,  
acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

Advice on protection against  
fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the  
application area.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national  
regulations.  
Persons susceptible to skin sensitisation problems or asthma,  
allergies, chronic or recurrent respiratory disease should not  
be employed in any process in which this mixture is being  
used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept  
upright to prevent leakage.  
Electrical installations / working materials must comply with the  
technological safety standards.

Materials to avoid : Strong acids  
  
Strong bases  
  
Strong oxidizing agents

Further information on  
storage stability : No decomposition if stored and applied as directed.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

**Personal protective equipment**

Hand protection

Remarks : The suitability for a specific workplace should be discussed  
with the producers of the protective gloves.

**ARALDITE® LY 1564 SP US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/17/2017	400001013261	Date of first issue: 07/17/2017

- Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : liquid
- Colour : No data is available on the product itself.
- Odour : mild
- Odour Threshold : No data is available on the product itself.
- pH : 7.7 (20 °C)  
Concentration: 500 g/l
- Freezing point : No data is available on the product itself.
- Melting point : No data is available on the product itself.
- Boiling point : 155 °C
- Flash point : 185 °C  
Method: Pensky-Martens closed cup, closed cup
- Evaporation rate : No data is available on the product itself.
- Flammability (solid, gas) : No data is available on the product itself.
- Flammability (liquids) : No data is available on the product itself.
- Upper explosion limit / Upper flammability limit : No data is available on the product itself.
- Lower explosion limit / Lower flammability limit : No data is available on the product itself.
- Vapour pressure : < 0.004 hPa (20 °C)
- Relative vapour density : No data is available on the product itself.
- Relative density : No data is available on the product itself.
- Density : 1.1 g/cm<sup>3</sup> (20 °C)

**ARALDITE® LY 1564 SP US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/17/2017	400001013261	Date of first issue: 07/17/2017

Solubility(ies)  
 Water solubility : partly soluble (20 °C)

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-octanol/water : No data is available on the product itself.

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : > 200 °C

Self-Accelerating decomposition temperature (SADT) : No data is available on the product itself.

Viscosity  
 Viscosity, dynamic : 1,000 - 1,400 mPa.s (25 °C)

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.

Particle size : No data is available on the product itself.

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Hazardous decomposition products : Carbon oxides  
 Burning produces noxious and toxic fumes.

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : No data is available on the product itself.

**Acute toxicity**

Acute oral toxicity - Product : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity - Product : Acute toxicity estimate: 75.85 mg/l  
 Exposure time: 4 h  
 Test atmosphere: vapour  
 Method: Calculation method

Acute dermal toxicity - Product : Acute toxicity estimate : > 5,000 mg/kg  
 Method: Calculation method

**ARALDITE® LY 1564 SP US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/17/2017	400001013261	Date of first issue: 07/17/2017

Acute toxicity (other routes of administration) : No data available

**Skin corrosion/irritation****Product:**

Remarks: Extremely corrosive and destructive to tissue.

**Serious eye damage/eye irritation****Product:**

Remarks: May cause irreversible eye damage.

**Respiratory or skin sensitisation****Product:**

Exposure routes: Skin  
Species: Guinea pig  
Result: Causes sensitisation.

Remarks: Causes sensitisation.

Assessment: No data available

**Germ cell mutagenicity****Components:**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane:  
Genotoxicity in vitro : Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: positive

Concentration: 0 - 5000 ug/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: positive

1,4-bis(2,3-epoxypropoxy)butane:  
Genotoxicity in vitro : Concentration: 10 - 5000 ug/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: positive

Concentration: 1 - 100 µg/L  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: positive

**Components:**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane:  
Genotoxicity in vivo : Cell type: Germ  
Application Route: Oral  
Method: OECD Test Guideline 478

**ARALDITE® LY 1564 SP US**

Version 1.0      Revision Date: 07/17/2017      SDS Number: 400001013261      Date of last issue: -  
Date of first issue: 07/17/2017

Result: negative

Cell type: Somatic  
Application Route: Oral  
Dose: 0 - 5000 mg/kg  
Method: OPPTS 870.5395  
Result: negative

1,4-bis(2,3-epoxypropoxy)butane:

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Cell type: Somatic  
Application Route: Oral  
Exposure time: 4 d  
Dose: 187.5 - 750 mg/kg  
Method: OECD Test Guideline 474  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Species: Rat  
Cell type: Liver cells  
Application Route: Oral  
Method: OECD Test Guideline 486  
Result: negative

**Components:**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane:

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

1,4-bis(2,3-epoxypropoxy)butane:

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Germ cell mutagenicity- Assessment : No data available

**Carcinogenicity****Components:**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane:

Species: Rat, (male and female)  
Application Route: Oral  
Exposure time: 24 month(s)  
Dose: 15 mg/kg  
Frequency of Treatment: 7 days/week  
Method: OECD Test Guideline 453  
Result: negative

Species: Mouse, (male)  
Application Route: Dermal  
Exposure time: 24 month(s)  
Dose: 0.1 mg/kg

**ARALDITE® LY 1564 SP US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/17/2017	400001013261	Date of first issue: 07/17/2017

Frequency of Treatment: 3 days/week  
 Method: OECD Test Guideline 453  
 Result: negative

Species: Rat, (female)  
 Application Route: Dermal  
 Exposure time: 24 month(s)  
 Dose: 1 mg/kg  
 Frequency of Treatment: 5 days/week  
 Method: OECD Test Guideline 453  
 Result: negative

Carcinogenicity - Assessment : No data available

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**ACGIH** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity****Components:**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane:

Effects on fertility : Test Type: Two-generation study  
 Species: Rat, male and female  
 Application Route: Oral  
 Dose: >750 milligram per kilogram  
 General Toxicity - Parent: No-observed-effect level: 540 mg/kg body weight  
 General Toxicity F1: No-observed-effect level: 540 mg/kg body weight  
 Symptoms: No adverse effects  
 Method: OECD Test Guideline 416  
 Result: No effects on fertility and early embryonic development were detected.

**Components:**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane:

Effects on foetal development : Species: Rabbit, female  
 Application Route: Dermal  
 General Toxicity Maternal: No observed adverse effect level: 30 mg/kg body weight  
 Method: Other guidelines  
 Result: No teratogenic effects

**ARALDITE® LY 1564 SP US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/17/2017	400001013261	Date of first issue: 07/17/2017

Species: Rabbit, female  
Application Route: Oral  
General Toxicity Maternal: No observed adverse effect level:  
60 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Species: Rat, female  
Application Route: Oral  
General Toxicity Maternal: No observed adverse effect level:  
180 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Reproductive toxicity - Assessment : No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Repeated dose toxicity****Components:**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane:

Species: Rat, male and female

NOAEL: 50 mg/kg

Application Route: Ingestion

Exposure time: 14 Weeks

Number of exposures: 7 d

Method: Subchronic toxicity

Species: Rat, male and female

NOEL: 10 mg/kg

Application Route: Skin contact

Exposure time: 13 Weeks

Number of exposures: 5 d

Method: Subchronic toxicity

Species: Mouse, male

NOAEL: 100 mg/kg

Application Route: Skin contact

Exposure time: 13 Weeks

Number of exposures: 3 d

Method: Subchronic toxicity

1,4-bis(2,3-epoxypropoxy)butane:

Species: Rat, male and female

NOAEL: 200 mg/kg

Application Route: Ingestion

**ARALDITE® LY 1564 SP US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/17/2017	400001013261	Date of first issue: 07/17/2017

Exposure time: 28 d  
Number of exposures: 7 d  
Method: Subacute toxicity

Repeated dose toxicity - Assessment : No data available

**Aspiration toxicity**

No data available

**Experience with human exposure**

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

**Toxicology, Metabolism, Distribution**

No data available

**Neurological effects**

No data available

**Further information****Product:**

Remarks: No data available

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.5 mg/l

Exposure time: 96 h

Test Type: static test

Test substance: Fresh water

Method: OECD Test Guideline 203

1,4-bis(2,3-epoxypropoxy)butane:

**ARALDITE® LY 1564 SP US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/17/2017	400001013261	Date of first issue: 07/17/2017

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 24 mg/l  
Exposure time: 96 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 203

**Components:**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.7 mg/l  
Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water

1,4-bis(2,3-epoxypropoxy)butane:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 75 mg/l  
Exposure time: 24 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202

**Components:**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane:

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 9.4 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: EPA-660/3-75-009

1,4-bis(2,3-epoxypropoxy)butane:

Toxicity to algae : EL50: > 160 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : No data available

Toxicity to fish (Chronic toxicity) : No data available

**Components:**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.3 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : No data available

**Components:**

**ARALDITE® LY 1564 SP US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/17/2017	400001013261	Date of first issue: 07/17/2017

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane:

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: static test  
Test substance: Fresh water

1,4-bis(2,3-epoxypropoxy)butane:

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : No data available

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial organisms : No data available

Ecotoxicology Assessment  
Acute aquatic toxicity : No data available

Chronic aquatic toxicity : No data available

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

**Persistence and degradability****Components:**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane:

Biodegradability : Inoculum: Sewage (STP effluent)  
Concentration: 20 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

1,4-bis(2,3-epoxypropoxy)butane:

Biodegradability : Inoculum: activated sludge  
Concentration: 20 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 43 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

Biochemical Oxygen Demand (BOD) : No data available

**ARALDITE® LY 1564 SP US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/17/2017	400001013261	Date of first issue: 07/17/2017

Chemical Oxygen Demand (COD) : No data available

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon (DOC) : No data available

Physico-chemical removability : No data available

**Components:**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane:

Stability in water : Degradation half life(DT50): 4.83 d (25 °C) pH: 4  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life(DT50): 7.1 d (25 °C) pH: 9  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life(DT50): 3.58 d (25 °C) pH: 7  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Photodegradation : No data available

Impact on Sewage Treatment : No data available

**Bioaccumulative potential****Components:**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane:

Bioaccumulation : Bioconcentration factor (BCF): 31  
Remarks: Does not bioaccumulate.

**Components:**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane:

Partition coefficient: n-octanol/water : log Pow: 3.242 (25 °C)  
pH: 7.1  
Method: OECD Test Guideline 117

1,4-bis(2,3-epoxypropoxy)butane:

Partition coefficient: n-octanol/water : log Pow: -0.269 (25 °C)  
pH: 6.7  
Method: OECD Test Guideline 117

**Mobility in soil**

**ARALDITE® LY 1564 SP US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/17/2017	400001013261	Date of first issue: 07/17/2017

Mobility : No data available

**Components:**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane:

Distribution among environmental compartments : Koc: 445

1,4-bis(2,3-epoxypropoxy)butane:

Distribution among environmental compartments : Koc: 12.59  
Method: OECD Test Guideline 121

Stability in soil : No data available

**Other adverse effects**

Environmental fate and pathways : No data available

Results of PBT and vPvB assessment : No data available

Endocrine disrupting potential : No data available

Adsorbed organic bound halogens (AOX) : No data available

**Hazardous to the ozone layer**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information - Product : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

Global warming potential (GWP) : No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.

**ARALDITE® LY 1564 SP US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/17/2017	400001013261	Date of first issue: 07/17/2017

Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****IATA**

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(BISPHENOL A EPOXY RESIN)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964

**IMDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(BISPHENOL A EPOXY RESIN)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****DOT Classification**

UN/ID/NA number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(BISPHENOL A EPOXY RESIN)  
Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes(BISPHENOL A EPOXY RESIN)

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know Act**

**ARALDITE® LY 1564 SP US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/17/2017	400001013261	Date of first issue: 07/17/2017

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

**California Prop. 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

CH INV	: The formulation contains substances listed on the Swiss Inventory, On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
TCSI	: On the inventory, or in compliance with the inventory
TSCA	: On the inventory, or in compliance with the inventory

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

**TSCA - 5(a) Significant New Use Rule List of Chemicals**


No substances are subject to a Significant New Use Rule.

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

No substances are subject to TSCA 12(b) export notification requirements.

**ARALDITE® LY 1564 SP US**

Version 1.0	Revision Date: 07/17/2017	SDS Number: 400001013261	Date of last issue: - Date of first issue: 07/17/2017
----------------	------------------------------	-----------------------------	--

**SECTION 16. OTHER INFORMATION****Further information****NFPA:****HMIS® IV:**

<b>HEALTH</b>		<b>2</b>
<b>FLAMMABILITY</b>		<b>1</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 07/17/2017

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.