

EPIBOND® 156 B US

Version 1.0 Revision Date: 08/15/2017 SDS Number: 400001008595 Date of last issue: -
Date of first issue: 08/15/2017

SECTION 1. IDENTIFICATION

Product name : EPIBOND® 156 B US

Manufacturer or supplier's details

Company name of supplier : Huntsman Advanced Materials Americas LLC
Address : P.O. Box 4980
The Woodlands,
TX 77387
United States of America (USA)
Telephone : Non-Emergency: (800) 257-5547
E-mail address of person responsible for the SDS : MSDS@huntsman.com
Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Hardener

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 2
Acute toxicity (Dermal) : Category 4
Skin corrosion : Category 1B
Serious eye damage : Category 1
Skin sensitisation : Category 1
Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H302 + H312 Harmful if swallowed or in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H330 Fatal if inhaled.

SAFETY DATA SHEET

HUNTSMAN

Enriching lives through innovation

EPIBOND® 156 B US

Version 1.0 Revision Date: 08/15/2017 SDS Number: 400001008595 Date of last issue: -
Date of first issue: 08/15/2017

H335 May cause respiratory irritation.

Precautionary statements

Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284 Wear respiratory protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
2,2'-iminodi(ethylamine)	111-40-0	90 - 100

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

EPIBOND® 156 B US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/15/2017	400001008595	Date of first issue: 08/15/2017

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : Call a physician or poison control centre immediately.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : None known.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No data is available on the product itself.
- Specific extinguishing methods : No data is available on the product itself.

EPIBOND® 156 B US

Version 1.0	Revision Date: 08/15/2017	SDS Number: 400001008595	Date of last issue: - Date of first issue: 08/15/2017
----------------	------------------------------	-----------------------------	--

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Evacuate personnel to safe areas.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Neutralise with acid.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Prevent unauthorized access.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Strong acids

SAFETY DATA SHEET

HUNTSMAN

Enriching lives through innovation

EPIBOND® 156 B US

Version 1.0 Revision Date: 08/15/2017 SDS Number: 400001008595 Date of last issue: -
Date of first issue: 08/15/2017

Strong bases

Strong oxidizing agents

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2,2'-iminodi(ethylamine)	111-40-0	TWA	1 ppm	ACGIH

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

Hand protection
Material : butyl-rubber
Break through time : > 8 h

Material : Solvent-resistant gloves (butyl-rubber)
Material : Nitrile rubber
Break through time : 10 - 480 min

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Avoid contact with skin, eyes and clothing.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and immediately after handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : amber

SAFETY DATA SHEET

HUNTSMAN

Enriching lives through innovation

EPIBOND® 156 B US

Version 1.0	Revision Date: 08/15/2017	SDS Number: 400001008595	Date of last issue: - Date of first issue: 08/15/2017
----------------	------------------------------	-----------------------------	--

Odour : amine-like

Odour Threshold : No data is available on the product itself.

pH : 11.3 (20 °C)
Concentration: 500 g/l

Melting point : -39 °C

Boiling point : 207.2 °C

Flash point : 101.7 °C
Method: Pensky-Martens closed cup, closed cup

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

Flammability (liquids) : No data is available on the product itself.

Upper explosion limit / Upper flammability limit : No data is available on the product itself.

Lower explosion limit / Lower flammability limit : No data is available on the product itself.

Vapour pressure : 0.1 hPa (20 °C)

Relative vapour density : No data is available on the product itself.

Relative density : 0.952

Density : 0.95 g/cm³ (20 °C)

Solubility(ies)
Water solubility : completely miscible (20 °C)

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-octanol/water : No data is available on the product itself.

Auto-ignition temperature : 395 °C

Thermal decomposition : No data is available on the product itself.

Self-Accelerating decomposition temperature (SADT) : No data is available on the product itself.

Viscosity
Viscosity, kinematic : 4 mm²/s (25 °C)

Explosive properties : No data is available on the product itself.

SAFETY DATA SHEET

HUNTSMAN

Enriching lives through innovation

EPIBOND® 156 B US

Version 1.0 Revision Date: 08/15/2017 SDS Number: 400001008595 Date of last issue: -
Date of first issue: 08/15/2017

Oxidizing properties : No data is available on the product itself.
Particle size : No data is available on the product itself.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No hazards to be specially mentioned.
Conditions to avoid : None known.
Incompatible materials : None known.
Hazardous decomposition products : Carbon oxides
Nitrogen oxides (NOx)
Burning produces noxious and toxic fumes.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : No data is available on the product itself.

Acute toxicity

Components:

2,2'-iminodi(ethylamine):
Acute oral toxicityComponents : LD50 (Rat, male): 1,620 mg/kg

Components:

2,2'-iminodi(ethylamine):
Acute inhalation toxicity : LC50 (Rat, male and female): 0.185 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Components:

2,2'-iminodi(ethylamine):
Acute dermal toxicity : LD50 (Rabbit): 1,045 mg/kg
GLP: no

Acute toxicity (other routes of administration) : No data available

Skin corrosion/irritation

Product:

SAFETY DATA SHEET

HUNTSMAN

Enriching lives through innovation

EPIBOND® 156 B US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/15/2017	400001008595	Date of first issue: 08/15/2017

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Product:

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

Product:

Result: May cause sensitisation by skin contact.

Remarks: Causes sensitisation.

Assessment: No data available

Germ cell mutagenicity

Genotoxicity in vitro : No data available

Components:

2,2'-iminodi(ethylamine):
Genotoxicity in vivo : Cell type: Somatic
Application Route: Oral
Dose: 85 - 850 mg/kg
Method: OECD Test Guideline 474
Result: negative

Application Route: Oral
Result: negative

Carcinogenicity

Components:

2,2'-iminodi(ethylamine):
Species: Mouse, (male)
Application Route: Dermal
Dose: 56.3 mg/kg
Frequency of Treatment: 3 daily
Result: negative

Carcinogenicity - Assessment : No data available

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

SAFETY DATA SHEET

HUNTSMAN

Enriching lives through innovation

EPIBOND® 156 B US

Version 1.0 Revision Date: 08/15/2017 SDS Number: 400001008595 Date of last issue: -
Date of first issue: 08/15/2017

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Components:

2,2'-iminodi(ethylamine):
Effects on fertility : Species: Rat, male and female
Application Route: Oral
General Toxicity - Parent: No observed adverse effect level:
30 mg/kg wet weight
Method: OECD Test Guideline 421
Result: positive

Components:

2,2'-iminodi(ethylamine):
Effects on foetal development : Species: Rat
Application Route: Oral
General Toxicity Maternal: No observed adverse effect level:
100 mg/kg body weight
Method: OECD Test Guideline 421
Result: No adverse effects

Reproductive toxicity - Assessment : No data available

STOT - single exposure

Components:

2,2'-iminodi(ethylamine):
Target Organs: Respiratory Tract
Assessment: May cause respiratory irritation.

STOT - repeated exposure

No data available

Repeated dose toxicity

Components:

2,2'-iminodi(ethylamine):
Species: Rat, male and female
NOEC: 70 - 80 mg/m³
Application Route: Ingestion
Test atmosphere: vapour
Exposure time: 360 h
Number of exposures: 7 d
Method: Subchronic toxicity

Species: Rat, male and female
NOAEL: 114 mg/kg/d
Application Route: Skin contact
Exposure time: 9,600 h

SAFETY DATA SHEET

HUNTSMAN

Enriching lives through innovation

EPIBOND® 156 B US

Version 1.0	Revision Date: 08/15/2017	SDS Number: 400001008595	Date of last issue: - Date of first issue: 08/15/2017
----------------	------------------------------	-----------------------------	--

Number of exposures: 6 d
Method: Chronic toxicity

Repeated dose toxicity - Assessment : No data available

Aspiration toxicity

No data available

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2,2'-iminodi(ethylamine):
Toxicity to fish

: LC50: 430 mg/l
Exposure time: 96 h
Test Type: semi-static test
Test substance: Fresh water
Method: Directive 67/548/EEC, Annex V, C.1.

Components:

SAFETY DATA SHEET

HUNTSMAN

Enriching lives through innovation

EPIBOND® 156 B US

Version 1.0 Revision Date: 08/15/2017 SDS Number: 400001008595 Date of last issue: -
Date of first issue: 08/15/2017

2,2'-iminodi(ethylamine):
Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 32 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water

Components:

2,2'-iminodi(ethylamine):
Toxicity to algae : EbC50 (Selenastrum capricornutum (green algae)): 1,164 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : No data available

Components:

2,2'-iminodi(ethylamine):
Toxicity to fish (Chronic toxicity) : NOEC: 10 mg/l
Exposure time: 28 d
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 210

Components:

2,2'-iminodi(ethylamine):
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 5.6 mg/l
Exposure time: 21 d
Test Type: semi-static test
Test substance: Fresh water
Method: Directive 67/548/EEC, Annex V, C.20

M-Factor (Chronic aquatic toxicity) : No data available

Toxicity to microorganisms : No data available

Components:

2,2'-iminodi(ethylamine):
Toxicity to soil dwelling organisms : EC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 56 d
Method: OECD Test Guideline 222

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial organisms : No data available

Ecotoxicology Assessment

SAFETY DATA SHEET

HUNTSMAN

Enriching lives through innovation

EPIBOND® 156 B US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/15/2017	400001008595	Date of first issue: 08/15/2017

Components:

2,2'-iminodi(ethylamine):
Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : No data available

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

Persistence and degradability

Components:

2,2'-iminodi(ethylamine):
Biodegradability : Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 87 %
Exposure time: 21 d
Method: OECD Test Guideline 301D

Biochemical Oxygen Demand (BOD) : No data available

Chemical Oxygen Demand (COD) : No data available

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon (DOC) : No data available

Physico-chemical removability : No data available

Stability in water : No data available

Components:

2,2'-iminodi(ethylamine):
Photodegradation : Test Type: Air
Rate constant: 500000
Degradation (direct photolysis): 50 %

Impact on Sewage Treatment : No data available

Bioaccumulative potential

Components:

EPIBOND® 156 B US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/15/2017	400001008595	Date of first issue: 08/15/2017

2,2'-iminodi(ethylamine):
Bioaccumulation

: Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 0.3 - 6.3
Exposure time: 42 d
Test substance: Fresh water
Method: flow-through test
Remarks: Bioaccumulation is unlikely.

Components:

2,2'-iminodi(ethylamine):
Partition coefficient: n-
octanol/water

: log Pow: -1.58 (20 °C)
pH: 7

Mobility in soil

Mobility : No data available

Components:

2,2'-iminodi(ethylamine):
Distribution among
environmental compartments
Stability in soil

: Koc: 19111
: No data available

Other adverse effects

Environmental fate and
pathways : No data available

Results of PBT and vPvB
assessment : No data available

Endocrine disrupting
potential : No data available

Adsorbed organic bound
halogens (AOX) : No data available

Hazardous to the ozone layer

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82
Protection of Stratospheric Ozone - CAA Section 602 Class I
Substances
Remarks: This product neither contains, nor was
manufactured with a Class I or Class II ODS as defined by the
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +
B).

Additional ecological
information - Product : No data available

Global warming potential
(GWP) : No data available

SAFETY DATA SHEET

HUNTSMAN

Enriching lives through innovation

EPIBOND® 156 B US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/15/2017	400001008595	Date of first issue: 08/15/2017

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA

UN/ID No.	:	UN 2079
Proper shipping name	:	Diethylenetriamine
Class	:	8
Packing group	:	II
Labels	:	Corrosive
Packing instruction (cargo aircraft)	:	855
Packing instruction (passenger aircraft)	:	851

IMDG

UN number	:	UN 2079
Proper shipping name	:	DIETHYLENETRIAMINE
Class	:	8
Packing group	:	II
Labels	:	8
EmS Code	:	F-A, S-B
Marine pollutant	:	no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

DOT Classification

UN/ID/NA number	:	UN 2079
Proper shipping name	:	DIETHYLENETRIAMINE
Class	:	8
Packing group	:	II

SAFETY DATA SHEET

HUNTSMAN

Enriching lives through innovation

EPIBOND® 156 B US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/15/2017	400001008595	Date of first issue: 08/15/2017

Labels	: CORROSIVE
ERG Code	: 154
Marine pollutant	: no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 311/312 Hazards : Acute toxicity (any route of exposure)
Respiratory or skin sensitisation
Specific target organ toxicity (single or repeated exposure)
Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

CH INV	: The formulation contains substances listed on the Swiss Inventory, On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
TCSI	: On the inventory, or in compliance with the inventory
TSCA	: On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.

SAFETY DATA SHEET

HUNTSMAN

Enriching lives through innovation

EPIBOND® 156 B US

Version
1.0

Revision Date:
08/15/2017


SDS Number:
400001008595

Date of last issue: -
Date of first issue: 08/15/2017

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS® IV:

HEALTH		3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 08/15/2017

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA : 8-hour, time-weighted average

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.