

Safety Data Sheet



1. Product and Company Identification

Product Name: **PolyFreeze™ P8802A-1/2, P8802A-1, P8802A-2, and P8802A-4**
Material Uses: Polysulfide Sealant, Pre-mixed and Frozen Formulation
(M)SDS#: P8802B-20241108
Validation Date: November-08-2024
Supplier/Manufacturer: Specialty Polymers & Services, Inc. (SP&S, Inc.)
27822 Fremont Court
Valencia, California (CA) 91355, U.S.A.
Non-emergency phone number: (661) 294-1790 (7AM – 5PM PST)
E-mail: msds@spolymers.com

In case of emergency: Chemtrec (800) 424-9300 or (703) 527-3887

2. Hazards Identification

GHS CLASSIFICATION OF SUBSTANCE OR MIXTURE:

Skin corrosion/Irritation:	Category 2, H315	Eye damage/irritation:	Category 2A, H319
Reproductive toxicity:	Category 2, H361	Aspiration hazard	Category 1, H304
Flammable Liquids	Category 2, H225	Carcinogenicity	Category 2, H351
Reproductivity toxicity, Effects on or Via Lactation	Additional Category, H362	Specific Target Organ Toxicity - Single Exposure (Narcotic Effect):	Category 3, H336
Specific Target Organ Toxicity - Repeated Exposure:	Category 2, H373	Aquatic hazard (Chronic)	Category 3, H412

GHS LABEL ELEMENTS:

HAZARD SYMBOLS:



SIGNAL WORDS:

Danger!

HAZARD STATEMENTS:

H315 Causes skin irritation.	H319 Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child.	H304 May be fatal if swallowed and enters airways.
H225 Highly Flammable liquid and vapor.	H351 Suspected of causing cancer.
H362 May cause harm to breast-fed children	H336 May cause drowsiness or dizziness.
H373 May cause damage to organs through prolonged or repeated exposure.	H412 May cause long lasting harmful effects to aquatic life.

PRECAUTIONARY STATEMENTS:

PREVENTION: P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/light/equipment.
P243 Take action to prevent static discharges.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P263 Avoid contact during pregnancy and while nursing.
 P264 Wash hands thoroughly after handling.
 P270 Do not eat, drink, or smoke when using this product.
 P271 Use only outdoors or in a well-ventilated area.
 P273 Avoid release to the environment.
 P280 Wear protective glove/protective clothing/eye protection/face protection.
 P281 Use personal protective equipment as required.

RESPONSE: P301+P331+P310 IF SWALLOWED: Do NOT induce vomiting. Immediately call a POISON CENTER and/or doctor.
 P303+P361+P634+P353+P352 IF ON SKIN (or hair): Take off immediately all contaminated clothing and wash before reuse. Rinse skin with water/shower. Wash with plenty of soap and water.
 P333+P313 If skin irritation or rash occurs: Get medical attention.
 P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER and/or doctor if you feel unwell.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P308+P313 IF exposed or concerned: Get medical attention.
 P370+P378 In case of fire: Use DRY chemical, DRY sand, alcohol-resistant foam, water spray/fog or carbon dioxide to extinguish.
 P391 Collect spillage.

STORAGE: P405+P233+P235 Store locked up. Keep container tightly closed. Keep cool.

DISPOSAL: P501 Dispose of contents and containers in accordance with local, regional and international regulations.

Precautionary statements are listed according to the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS) – Annex III

See toxicological information (section 11)

General Information: Read entire MSDS for a more thorough evaluation of the hazards

3. Composition / Information on Ingredients

Name	CAS Number	%
Liquid Polysulfide Polymer	68611-50-7	< 65
Toluene	108-88-3	< 11
2-Butanone	78-93-3	< 14
Titanium Dioxide	13463-67-7	< 5
Calcium Carbonate	72608-12-9	< 32
Manganese dioxide	131-13-9	< 6
1,3 Diphenylguanidine	102-06-7	< 0.5

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

4. First Aid Measures

Eye Contact:	Check for and remove any contact lenses. Immediately flush eyes for at least 15 minutes with running water. Hold eyelids apart to ensure rinsing of the entire eye surface and lids with water. Get medical attention if irritation occurs.
Skin Contact:	In case of contact, wash affected areas with plenty of water, and soap, if available, for several minutes. Remove and clean contaminated clothing and shoes before re-use. Get medical attention if irritation occurs.
Inhalation:	Move exposed person to fresh air. If not breathing, give artificial respiration or oxygen. If breathing is difficult, transport to medical care and, if available, give supplemental oxygen. Loosen tight clothing such as a collar, tie, belt, or waistband. Get immediate medical attention.
Ingestion:	Wash out mouth with water. If swallowed dilute by giving two (2) glasses water to drink. Do not induce vomiting until direct to do so by medical personnel. Never give anything by mouth to an unconscious person. Get immediate medical attention.
Note to physician:	No specific treatment. Treat symptomatically. Call poison control center if large quantities were ingested.

Overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent.

5. Fire-Fighting Measures

Flash point:	>90°F (>32.2°C), closed cup
Hazardous Thermal Decomposition Products:	Decomposition products may include the following materials: carbon dioxide, carbon monoxide, halogenated compounds, metal oxides and other oxides.
Extinguishing Media:	Carbon dioxide, foam, dry chemical, water spray as suitable for the surrounding fire.
Special Exposure Hazards:	Promptly isolate the scene by removing all persons from the vicinity of the fire. No actions shall be taken involving any personal risk or without suitable training.
Special Protective equipment for fire-fighters:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental Release Measures

Personal Precautions:	No actions shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering area. Do not touch or walk through spilled material. Avoid breathing vapor or mist and provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions:	Avoid dispersal of spilled material and runoff that leads to contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution.
Methods of Clean Up:	Stop leak if without risk. Move containers from spill area. Approach spill from up wind if possible. Prevent spill from entering sewers, rivers and other water courses, basements, or confined areas. Wash into effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material (e.g. sand, earth, vermiculite, or diatomaceous earth) and place in container for disposal according to local regulations. Dispose of only using a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information.

7. Handling and Storage

Handling:	Wear appropriate personal protective equipment (see Section 8) when handling. Eating, drinking, and smoking should be prohibited in areas where chemicals are handled, stored, or processed. Workers should wash hands and face before eating, drinking, and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Persons with a history of skin sensitization problems should not be employed in processes where this material is used. Keep in the original container or a suitable alternate made from a compatible material. Keep all containers tightly closed when not in use. Empty containers retain product residue and should be disposed of properly. Do not reuse empty containers for other purposes or to hold other materials.
Storage:	Store in accordance with local regulations. Store in original containers, in a -40°C freezer. Keep away from incompatible materials (see Section 10) and food and drink. Keep all containers tightly closed when not in use and tightly re-seal after use. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. <u>NOTE: This is a frozen product and must be stored at -40°C or colder to retain its shelf-life. Warmer storage temperatures will result in viscosity increases and a shorter shelf-life and will eventually cause the material to cure.</u>

8. Exposure Controls / Personal Protection

Substance	Exposure Controls
Manganese dioxide	OSHA: 5pm; ACGIH 5 mg/m ³
Toluene (methylbenzene)	OSHA: 100 ppm; ACGIH TWA: 50 ppm
Recommended Monitoring Procedures:	If this product contains ingredients with exposure limits, personal, workplace, atmospheric, or biological monitoring may be required to determine the effectiveness of the ventilation system or other control measures and/or to determine whether it is necessary to use respiratory protective equipment. Consider European Standard EN 689 or similar industry or governmental guidelines for appropriate methods for the assessment of exposure by inhalation to chemical agents and/or hazardous substances.

Engineering measures: No special ventilation requirements are necessary for this product. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation, or other engineering controls to keep worker exposure below the recommended or statutory limits

Hygiene measures: Wash hands, forearms, and face thoroughly after handling any chemical products, before eating, smoking, and using the lavatory and at the end of the work period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protection

Respiratory: A respiratory protection program in compliance with 29CFR1910.134, or other applicable regulatory standard must be followed whenever exposure limits may be exceeded. If engineering controls are not feasible, or if inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands: Wear neoprene, nitrile rubber, butyl rubber or other suitable impervious gloves; consider European Standard EN374 or similar industry or governmental guidelines. Consider the parameters specified by the glove manufacturer and check gloves during use to ensure they are retaining their protective properties. Gloves selected must have a breakthrough rating appropriate for the work shift. If a risk assessment indicates that it is necessary, gloves should always be worn when handling chemical products.

Eyes: When a risk assessment indicates, safety eyewear complying with an approved standard, such as OSHA Standard 29CFR1910.133 or European Standard EN166, should be used to avoid exposure to liquid splashes, mists, or dusts. If contact is possible, at a minimum use chemical splash goggles. If significant splash hazard may occur, consider using a full-face shield.

Skin: Personal Protective equipment for the body should be selected based on the task being performed and the risks involved. Typical protective equipment includes non-absorbent lab coats, disposable protective sleeves, coats, or whole-body suits. Consider CFR1910.132 and CFR1910.136 for OSHA approved standards on protective clothing and footwear. Consider seeing a safety specialist to determine the appropriate level of protection for your task.

Environmental Exposure Controls: Emissions from ventilation or work processes should be checked to ensure they comply with the requirements of environmental regulations. In some cases, fume scrubbers, filters, or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and Chemical Properties

Appearance:	Black-Grey liquid	Odor	Polysulfide odor
Boiling Point:	Not determined	Freezing Point:	Not determined
Flash Point:	>90°F (>32.2°C), closed cup	pH:	Not determined
Auto-ignition Temperature:	Not determined	Flammable Limits:	Not determined
Vapor Pressure:	Not determined	Water Solubility:	negligible
Specific Gravity:	>1.55	Vapor Density:	>1 (Air = 1)
Evaporation Rate:	Not determined	VOC:	< 14% by volume
Viscosity:	>25,000 cps (self-levelling liquid)		

10. Stability and Reactivity

Chemical Stability: This product is stable, under normal conditions of storage and use, hazardous reactions will not occur.

Hazardous Polymerization: Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to Avoid: High temperatures and exposure to strong oxidizing agents, acids, and bases

Hazardous Decomposition: Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal Decomposition products may include the following materials: carbon dioxide, carbon monoxide, halogenated compounds, metal oxides and other oxides.

11. Toxicological Information

Acute Toxicity

Product/Ingredient Name	Test	Endpoint	Species	Result
Not available				

Irritation / Corrosion

Product/Ingredient Name	Test	Species	Result

Not available			
---------------	--	--	--

Sensitizer

Product/Ingredient Name	Test	Species	Result
Not available			

Mutagenicity

Product/Ingredient Name	Test	Result
Not available		

Conclusion/ Summary: – the weight of scientific evidence indicates that the components of this product are not genotoxic.

Carcinogenicity

The product is suspected of causing cancer.

Reproductive Toxicity

Product/Ingredient Name	Test	Species	Maternal Toxicity	Fertility	Developmental Effects
Not available					

Teratogenicity

Product/Ingredient Name	Test	Species	Results
Not available			

Potential Acute Health Effects

- Inhalation: May be fatal if swallowed and enters airways. May be harmful if inhaled.
- Ingestion: May be fatal if swallowed and enters airways. May be harmful if swallowed.
- Skin Contact: Causes skin irritation.
- Eye Contact: Causes eye irritation.

Potential Chronic Health Effects

Product/Ingredient Name	Test	Endpoint	Species	Results
No Data Available				

- General: Once sensitized, an allergic reaction may occur when subsequently exposed to very low levels
- Target Organs: May cause damage to organs through prolonged or repeated exposure
- Carcinogenicity: Suspected of causing cancer
- Mutagenicity: No known significant effects or critical hazards
- Teratogenicity: Suspected of damaging fertility or the unborn child
- Developmental Effects: Suspected of damaging fertility or the unborn child
- Fertility Effects: Suspected of damaging fertility or the unborn child

12. Ecological Information

Environmental Effects: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Water polluting material. May be harmful to the environment if released in large quantities.

Aquatic Ecotoxicity

Product/Ingredient Name	Test	Endpoint	Exposure	Species	Result
Not available					

Persistence and Degradability

Product/Ingredient Name	Test	Period	Result
Not available			

Product/Ingredient Name	Aquatic half-life	Photolysis	Biodegradability
Not available	-	-	Not readily

Bioaccumulative potential

Product/Ingredient Name	Log P _{ow}	BCF	Potential
Not available			

- Other adverse effects: No known significant effects or critical hazards
- Other information: BOD5: Not determined COD: Not Determined TOC: Not determined

13. Disposal Consideration

Waste Disposal Method: Disposal of this products, solutions, and by-products should always comply with the requirements of environmental and waste disposal legislation and any regional or local authority requirements. Dispose of surplus, non-recyclable

products via a licensed waste disposal contractor. Waste should not be disposed untreated to the sewer system unless this is compliant with all applicable laws and regulations. Incineration by an approved and licensed contractor is the most common disposal method. Packaging materials and absorbents containing the product can typically be landfilled or incinerated. Contact local authorities to determine the proper means of disposal in your area.

14. Transport Information

DOT: Non-Bulk **Label:** Flammable Liquid
Proper Shipping Name: Adhesives
Hazard Class: 3 **ID Number:** UN1133 **Packing Group:** PGIII

IATA: Non-Bulk **Label:** Flammable Liquid
Proper Shipping Name: Adhesives
Hazard Class: 3 **ID Number:** UN1133 **Packing Group:** PGIII

15. REGULATORY INFORMATION

US Federal Regulations:

Occupational Safety and Health Act (OSHA): This product is a hazardous chemical under the OSHA Hazard Communication Standard (29 CFR 1910.1200).

SARA Title III: Section 304 - CERCLA: This product contains chemicals regulated under Section 304 as extremely hazardous substance(s) for emergency release notification ("CERCLA" List):

Ingredient	CAS #	Component RQ (lbs.)	Calculated Product RQ (Lbs.)
Toluene	108-88-3	1000	>9,000
2-Butanone	78-93-3	5000	>35,000

SARA Title III: Section 311/312 - Hazard Communication Standard (HCS): Per the June 13, 2016 Federal Register notice, EPA harmonized the EPCRA 311/312 hazard categories with the 2012 OSHA hazard communication standard for classifying and labeling of chemicals (i.e. GHS). Please refer to section 2 of the SDS to identify the appropriate hazard categories for reporting purposes.

SARA Title III: Section 313 Toxic Chemical List (TCL): This product contains one or more toxic chemicals for routine annual Toxic Chemical Release Reporting under section 313 (40 CFR 372).

Toluene – CAS 108-88-3, < 11%
Manganese Dioxide – CAS 1313-13-9, < 6%

TSCA Section 8(b) - Inventory Status: All chemical(s) comprising this product are listed on the TSCA inventory.

TSCA Section 12(b) - Export Notification: This product does not contain chemicals which are subject to Section 12(b) export notification.

State Regulations:

California Proposition 65: **⚠ WARNING:** This product can expose you to chemicals including Toluene and Manganese Dioxide, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

International Regulations:

WHMIS: Class B-2: Flammable liquid
Class D-2A: Material causing other toxic effects (Very toxic)
Class D-2B: Material causing other toxic effects (Toxic)

16. OTHER INFORMATION

Hazardous Material Information System (HMIS) - USA		National Fire Protection Association (USA):	
Health	2		
Flammability	3		
Physical Hazards	1		
Personal Protection	X*		

*suggested minimum personal protection equipment. End user must determine appropriateness of these suggestions for their applications and usage conditions.

Reason Issued: update to new format
Prepared By: Preston White **Approved By:** Chris Meyer **Title:** Vice President

NOTICE TO READER: While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF PRODUCTS FOR THE USER'S PARTICULAR PURPOSE(S).

THIS PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

The product(s) has not been tested for, and is therefore not recommended for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended; or for uses for which implantation within the human body is intended.