

Safety Data Sheet



1. Product and Company Identification

Product Name: **RUBR-WELD™ 187B**
Material Uses: High Performance Neoprene Rubber Adhesive
(M)SDS#: 187B-20181205
Validation Date: December-05-2018
Supplier/Manufacturer: Specialty Polymers & Services, Inc. (SP&S, Inc.)
27822 Fremont Court
Valencia, California (CA) 91355, U.S.A.
Non-emergency phone number: (661) 294-1790 (7AM – 5PM PST)
E-mail: msds@spolymers.com

In case of emergency: Chemtrec (800) 424-9300 or (703) 527-3887

2. Hazards Identification

GHS CLASSIFICATION OF SUBSTANCE OR MIXTURE:

Skin corrosion/irritation:	Category 2, H315	Eye damage/irritation:	Category 2A, H319
Skin sensitization:	Category 1, H317	Acute Toxicity (Inhalation)	Category 4, H332
Respiratory sensitization:	Category 1, H334	Specific Target Organ Toxicity - Single Exposure (Respiratory Tract):	Category 3, H335

GHS LABEL ELEMENTS:

HAZARD SYMBOLS:



SIGNAL WORDS: Danger!

HAZARD STATEMENTS:

H315 Causes skin irritation.	H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.	H332 Harmful if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.	H335 May cause respiratory irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves, clothing, and eye/face protection.
P284 [In case of inadequate ventilation] wear respiratory protection.

RESPONSE: P301+P330+P331+P312 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call POISON CENTER and/or doctor if you feel unwell.
P303+P361+P364+P353+P352 IF ON SKIN (or hair): Take off immediately all contaminated clothing and wash before reuse. Rinse skin with water/shower. Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical attention.
 P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER and/or doctor if you feel unwell.
 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER and/or doctor.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P308+P313 IF exposed or concerned: Get medical attention.
 P391 Collect spillage.

STORAGE: P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.

DISPOSAL: P501 Dispose of contents and containers in accordance with local, regional and international regulations.

Precautionary statements are listed according to the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS) – Annex III

See toxicological information (section 11)

General Information: Read entire MSDS for a more thorough evaluation of the hazards

3. Composition / Information on Ingredients

Name	CAS Number	%
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	50 - 100
4,4'-methylenediphenyl diisocyanate	101-68-8	25 - 50

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

4. First Aid Measures

Eye Contact:	Check for and remove any contact lenses. Immediately flush eyes for at least 15 minutes with running water. Hold eyelids apart to ensure rinsing of the entire eye surface and lids with water. Get medical attention if irritation occurs.
Skin Contact:	In case of contact, wash affected areas with plenty of water, and soap, if available, for several minutes. Remove and clean contaminated clothing and shoes before re-use. Get medical attention if irritation occurs.
Inhalation:	Move exposed person to fresh air. If not breathing, give artificial respiration or oxygen. If breathing is difficult, transport to medical care and, if available, give supplemental oxygen. Loosen tight clothing such as a collar, tie, belt, or waistband. Get immediate medical attention.
Ingestion:	Wash out mouth with water. If swallowed dilute by giving two (2) glasses water to drink. Do not induce vomiting until direct to do so by medical personnel. Never give anything by mouth to an unconscious person. Get immediate medical attention.
Note to physician:	No specific treatment. Treat symptomatically. Call poison control center if large quantities were ingested.

5. Fire-Fighting Measures

Flash point:	>204°C (>399.2°F)
Hazardous Thermal Decomposition Products:	Decomposition products may include the following materials: carbon dioxide, carbon monoxide, halogenated compounds, Isocyanate, metal oxides and other oxides.
Extinguishing Media:	Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray.
Special Exposure Hazards:	Promptly isolate the scene by removing all persons from the vicinity of the fire. No actions shall be taken involving any personal risk or without suitable training.
Special Protective equipment for fire-fighters:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Use fire fighting measures that suit the environment.

6. Accidental Release Measures

Personal Precautions:	No actions shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering area. Do not touch or walk through spilled material. Avoid breathing vapor or mist and provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
-----------------------	---

Environmental Precautions: Methods of Clean Up:	Avoid dispersal of spilled material and runoff that leads to contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution. Stop leak if without risk. Move containers from spill area. Approach spill from up wind if possible. Prevent spill from entering sewers, rivers and other water courses, basements, or confined areas. Wash into effluent treatment plant or proceed as follows. Contain, use neutralizing agent, and collect spillage with non-combustible, absorbent material (e.g. sand, earth, vermiculite, or diatomaceous earth) and place in container for disposal according to local regulations. Dispose of only using a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information.
Neutralization solutions	<ol style="list-style-type: none"> 1. A mixture of 90% water, 3-8% ammonium hydroxide or concentrated ammonia, and 2% liquid detergent. 2. A mixture of 80% water, 20% non-ionic surfactant. Apply solution. Wait 15 minutes. Collect in open-head container. Re-apply until surface is decontaminated. Apply drum lid but DO NOT secure. Let containers vent for 72 hours allowing carbon dioxide to escape. Secure drum lid.
Protective Action Criteria for Chemicals	PAC-1: Diphenylmethanediisocyanate, isomers and homologues (CAS# 9016-87-6) – 0.15 mg/m ³ 4,4'-methylenediphenyl diisocyanate (CAS# 101-68-8) – 0.45 mg/m ³ PAC-2: Diphenylmethanediisocyanate, isomers and homologues (CAS# 9016-87-6) – 3.6 mg/m ³ 4,4'-methylenediphenyl diisocyanate (CAS# 101-68-8) – 5.0 mg/m ³ PAC-3: Diphenylmethanediisocyanate, isomers and homologues (CAS# 9016-87-6) – 22.0 mg/m ³ 4,4'-methylenediphenyl diisocyanate (CAS# 101-68-8) – 55.0 mg/m ³

7. Handling and Storage

Handling:	Wear appropriate personal protective equipment (see Section 8) when handling. Eating, drinking, and smoking should be prohibited in areas where chemicals are handled, stored, or processed. Prevent formation of aerosols. Workers should wash hands and face before eating, drinking, and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Persons with a history of skin sensitization problems should not be employed in processes where this material is used. Keep in the original container or a suitable alternate made from a compatible material. Keep all containers tightly closed when not in use. Empty containers retain product residue and should be disposed of properly. Do not reuse empty containers for other purposes or to hold other materials.
Storage:	Store in accordance with local regulations. Store in original containers, at 25°C - 104°C (77°F - 104°F). Keep away from direct heat. If frozen material may crystallize and require heating to re-liquefy. Keep away from incompatible materials (see Section 10) and food and drink. Product reacts with water. Reaction may produce heat and/or gases. Keep all containers tightly closed when not in use and tightly re-seal after use. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure Controls / Personal Protection

Ingredient	Exposure Limits
4,4'-methylenediphenyl diisocyanate	PEL – Ceiling limit value: 0.02 ppm / 0.2 mg/m ³ REL – Long-term value: 0.005 ppm / 0.05 mg/m ³ REL – Ceiling limit value: 0.02 ppm / 0.2 mg/m ³ (10-min) TLV – Long-term value: 0.005 ppm / 0.051 mg/m ³ (10-min)
Recommended Monitoring Procedures:	If this product contains ingredients with exposure limits, personal, workplace, atmospheric, or biological monitoring may be required to determine the effectiveness of the ventilation system or other control measures and/or to determine whether it is necessary to use respiratory protective equipment. Consider European Standard EN 689 or similar industry or governmental guidelines for appropriate methods for the assessment of exposure by inhalation to chemical agents and/or hazardous substances.
Engineering measures:	No special ventilation requirements are necessary for this product. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with

exposure limits, use process enclosures, local exhaust ventilation, or other engineering controls to keep worker exposure below the recommended or statutory limits

Hygiene measures: Wash hands, forearms, and face thoroughly after handling any chemical products, before eating, smoking, and using the lavatory and at the end of the work period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protection

Respiratory: A respiratory protection program in compliance with 29CFR1910.134, or other applicable regulatory standard must be followed whenever exposure limits may be exceeded. If engineering controls are not feasible, or if inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands: Wear neoprene, nitrile rubber or other suitable impervious gloves; consider European Standard EN374 or similar industry or governmental guidelines. Consider the parameters specified by the glove manufacture and check gloves during use to ensure they are retaining their protective properties. Gloves selected must have a breakthrough rating appropriate for the work shift. If a risk assessment indicates that it is necessary, gloves should always be worn when handling chemical products.

Eyes: When a risk assessment indicates, safety eyewear complying with an approved standard, such as OSHA Standard 29CFR1910.133 or European Standard EN166, should be used to avoid exposure to liquid splashes, mists, or dusts. If contact is possible, at a minimum use chemical splash goggles. If significant splash hazard may occur, consider using a full-face shield.

Skin: Personal Protective equipment for the body should be selected based on the task being performed and the risks involved. Typical protective equipment includes non-absorbent lab coats, disposable protective sleeves, coats, or whole-body suits. Consider CFR1910.132 and CFR1910.136 for OSHA approved standards on protective clothing and footwear. Consider seeing a safety specialist to determine the appropriate level of protection for your task.

Environmental Exposure Controls: Emissions from ventilation or work processes should be checked to ensure they comply with the requirements of environmental regulations. In some cases, fume scrubbers, filters, or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and Chemical Properties

Appearance:	Amber liquid	Odor	Characteristic
Boiling Point:	Not determined	Freezing Point:	Not determined
Flash Point:	>204°C (>399.2°F) closed cup	pH:	Not determined
Auto-ignition Temperature:	400°C (752°F)	Flammable Limits:	Not determined
Vapor Pressure:	Not determined	Water Solubility:	Not miscible or difficult to mix
Specific Gravity:	1.24	Vapor Density:	Not determined
Evaporation Rate:	<1 (butyl acetate =1)	VOC:	<1 g/ L (estimated)
Viscosity:	Not determined		

10. Stability and Reactivity

Chemical Stability: This product is stable, under normal conditions of storage and use, hazardous reactions will not occur.

Hazardous Polymerization: Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to Avoid: High temperatures, freezing, moisture, and exposure to oxidizing agents, acids, bases, alcohols, and amines. May produce violent reactions with bases and numerous organic substances includes alcohols and amines.

Hazardous Decomposition: Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition products may include the following materials: carbon dioxide, carbon monoxide, halogenated compounds, isocyanate, metal oxides and other oxides.

11. Toxicological Information

Acute Toxicity

Product/Ingredient Name	Test	Endpoint	Species	Result
4,4'-methylenediphenyl diisocyanate	OECD 403 Acute Inhalation Toxicity	LC50 Inhalation Dusts & mists	Rat - Male, Female	0.49 mg/l
	OECD 402 Acute Dermal Toxicity	LD50 Dermal	Rabbit - Male, Female	>9,400 mg/kg
	OECD 401 Acute Oral Toxicity	LD50 Oral	Mouse	>2,000 mg/kg

Irritation / Corrosion

Product/Ingredient Name	Test	Species	Result
-------------------------	------	---------	--------

Product	-	-	Irritant to skin and mucous membrane
	-	-	Irritating effect to eyes
4,4'-methylenediphenyl diisocyanate	OECD 404 Acute Dermal Irritation/Corrosion	Rabbit	Irritant
	OECD 405 Acute Eye Irritation/Corrosion	Rabbit	Non-irritant

Sensitizer

Product/Ingredient Name	Test	Species	Result
Product	-	-	Sensitization possible through skin contact
	-	-	Sensitization possible through inhalation
4,4'-methylenediphenyl diisocyanate	OECD 429 Skin Sensitization: Local Lymph Node Assay	Mouse	Sensitizing
	OECD 406 Skin Sensitization	Guinea pig	Not sensitizing
	No official guidelines - Respiratory	Guinea pig	Sensitizing

Mutagenicity

Product/Ingredient Name	Test	Result
4,4'-methylenediphenyl diisocyanate	Experiment: In vitro Subject: Bacteria Metabolic activation: +/-	Negative
	Experiment: In vivo Subject: Mammalian-Animal	Negative

Conclusion/ Summary: the weight of scientific evidence indicates that the components of this product are not genotoxic

Carcinogenicity

4,4'-methylenediphenyl diisocyanate and diphenylmethanediisocyanate, isomers and homologues are classified by IARC as Group 3 (Not classifiable as to its carcinogenicity to humans), No other components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC, ACGIH, NTP or OSHA:

Reproductive Toxicity

Product/Ingredient Name	Test	Species	Maternal Toxicity	Fertility	Developmental Effects
No data available					

Teratogenicity

Product/Ingredient Name	Test	Species	Results
4,4'-methylenediphenyl diisocyanate	OECD 414 Prenatal Developmental Toxicity Study	Rat - Female	Negative - Inhalation

Potential Acute Health Effects

Inhalation: Inhalation may cause allergy or asthma symptoms or breathing difficulties, may cause respiratory irritation. Harmful if inhaled.

Ingestion: No known significant effects or critical hazards.

Skin Contact: May causes skin irritation, may cause an allergic skin reaction.

Eye Contact: May cause irritation to the eyes.

Potential Chronic Health Effects

Product/Ingredient Name	Test	Endpoint	Species	Results
No Data Available				

General: Once sensitized, an allergic reaction may occur when subsequently exposed to very low levels

Target Organs: Respiratory tract – inhalation may cause allergy or asthma symptoms or breathing difficulties

Carcinogenicity: No known significant effects or critical hazards

Mutagenicity: No known significant effects or critical hazards

Teratogenicity: No known significant effects or critical hazards

Developmental Effects: No known significant effects or critical hazards

Fertility Effects: No known significant effects or critical hazards

12. Ecological Information

Environmental Effects: The product is not classified as environmentally hazardous; however, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Do not release product into environment or the drains.

Aquatic Ecotoxicity

Product/Ingredient Name	Test	Endpoint	Exposure	Species	Result
4,4'-methylenediphenyl diisocyanate	OECD 203, Acute Toxicity Test	Acute LC50	96 hours Static	Fish	>1,000 mg/l
	OECD 211 Reproduction Test	Chronic NOECr	21 days Semi-static	Daphnia	>10 mg/l
	OECD 202 Acute Immobilisation Test	Acute EC50	24 hours Static	Daphnia	>1,000 mg/l
	OECD 201 Growth Inhibition Test	Chronic NOECr	72 hours Static	Algae	1,640 mg/l

Persistence and Degradability

Product/Ingredient Name	Test	Period	Result
4,4'-methylenediphenyl diisocyanate	OECD 302C Inherent Biodegradability: Modified MITI Test (II)	28 days	0%

Product/Ingredient Name	Aquatic half-life	Photolysis	Biodegradability
4,4'-methylenediphenyl diisocyanate	Fresh water 0.83 days	-	Not biodegradable

Bioaccumulative potential

Product/Ingredient Name	Log P _{ow}	BCF	Potential
4,4'-methylenediphenyl diisocyanate	4.51	200	low

Other adverse effects: No known significant effects or critical hazards

Other information: BOD5: Not determined COD: Not Determined TOC: Not determined

13. Disposal Consideration

Waste Disposal Method: Disposal of this products, solutions, and by-products should at all times comply with the requirements of environmental and waste disposal legislation and any regional or local authority requirements. Dispose of surplus, non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed on untreated to the sewer system unless this is complaint with all applicable laws and regulations. Incineration by an approved and licensed contractor is the most common disposal method. Packaging materials that and absorbents containing the product can typically be landfilled or incinerated. Contact local authorities to determine the proper means of disposal in your area.

14. Transport Information

DOT (US) Classification: Not regulated for transportation purposes under 49CFR in containers less than 5000 lbs. when transported by motor vehicle, rail car, or aircraft.

TDG (Canadian) Classification: Not regulated for transportation purposes when transported by road or rail.

IATA (Air): Not regulated for transportation purposes,

IMDG (Ocean): Not regulated for transportation purposes,

15. REGULATORY INFORMATION

US Federal Regulations:

Occupational Safety and Health Act (OSHA): This product is a hazardous chemical under the OSHA Hazard Communication Standard (29 CFR 1910.1200).

SARA Title III: Section 304 - CERCLA: This product contains chemicals regulated under Section 304 as extremely hazardous substance(s) for emergency release notification ("CERCLA" List):

Ingredient	CAS #	Component RQ (lbs)	Calculated Product RQ (lbs)
4,4'-methylenediphenyl diisocyanate	101-68-8	5,000	≥ 10,000

SARA Title III: Section 311/312 - Hazard Communication Standard (HCS): Immediate (acute) health hazard

SARA Title III: Section 313 Toxic Chemical List (TCL): This product contains a toxic chemical for routine annual Toxic Chemical Release Reporting under section 313 (40 CFR 372).

Diphenylmethanediisocyanate, isomers and homologues – CAS 9016-87-9

4,4'-methylenediphenyl diisocyanate – CAS 101-68-8

TSCA Section 8(b) - Inventory Status: All chemical(s) comprising this product are listed on the TSCA inventory.

TSCA Section 12(b) - Export Notification: This product does not contain chemicals which are subject to Section 12(b) export notification.

State Regulations:

California Proposition 65: This product does not contain any chemicals currently on the California list of Known Carcinogens and Reproductive Toxins.


International Regulations:

WHMIS: Class D-2A: Material causing other toxic effects (Very toxic).
Class D-2B: Material causing other toxic effects (Toxic).

International Lists:

Philippines Inventory (PICCS):	not determined	Malaysia Inventory (EHS register):	not determined
Canadian Inventory (CEPA-DSL):	all components are listed or exempt	Taiwan Inventory (CSNN):	not determined

16. OTHER INFORMATION

Hazardous Material Information System (HMIS) - USA		National Fire Protection Association (USA):	
Health	2*		
Flammability	1		
Physical Hazards	1		
Personal Protection	C*		

*suggested minimum personal protection equipment. End user must determine appropriateness of these suggestions for their applications and usage conditions.

Reason Issued: update
Prepared by: Preston White
Approved by: Chris Meyer Title: Vice President

NOTICE TO READER: While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF PRODUCTS FOR THE USER'S PARTICULAR PURPOSE(S).

THIS PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

The product(s) has not been tested for, and is therefore not recommended for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended; or for uses for which implantation within the human body is intended.