

Safety Data Sheet



1. Product and Company Identification

Product Name: **Ultralane® 5775B**
Material Uses: Conformal Coating Hardener
(M)SDS#: 5775B-20210420
Validation Date: Apr-20-2021
Supplier/Manufacturer: Specialty Polymers & Services, Inc.
27822 Fremont Court
Valencia, CA 91355 USA
Tel: (661) 294-1790 or msds@spolymers.com

In case of emergency: Chemtrec (800) 424-9300 or (703) 527-3887

2. Hazards Identification

GHS CLASSIFICATION OF SUBSTANCE OR MIXTURE:

Flammability: Category 2, H225 Acute Toxicity, oral: Category 4, H302
Eye damage: Category 2A, H319

GHS LABEL ELEMENTS:

HAZARD SYMBOLS:



SIGNAL WORDS: DANGER!

HAZARD STATEMENTS:

H225 Highly Flammable liquid and vapor H302 Harmful if swallowed
H319 Causes serious eye irritation

PRECAUTIONARY STATEMENTS:

PREVENTION: P201 Obtain special instructions before use
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P260 Do not breathe mists.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace
P273 Avoid release to the environment.
P280 Wear protective gloves, clothing, and eye/face protection.
P281 Use personal protective equipment as required.

RESPONSE: P301+P330+P331+P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER and/or doctor.
P303+P361+P634+P353+P352 IF ON SKIN (or hair): Take off immediately all contaminated clothing and wash before reuse. Rinse skin with water/shower. Wash with plenty of soap and water.
P333+P313 If skin irritation or rash occurs: Get medical attention.
P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER and/or doctor if you feel unwell.
P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.
P308+P313 IF exposed or concerned: Get medical attention.
P314 Get medical advice/attention if you feel unwell.
P363 Wash contaminated clothing before reuse.
P370+P378 In case of fire: Use DRY chemical, DRY sand, alcohol-resistant foam, water spray/fog or carbon-dioxide to extinguish.
P391 Collect spillage.

STORAGE: P403+P233+P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool
P405 Store locked up.

DISPOSAL: P501 Dispose of contents and containers in accordance with local, regional and international regulations.

Precautionary statements are listed according to the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS) – Annex III

See toxicological information (section 11)

General Information: Read entire MSDS for a more thorough evaluation of the hazards

3. Composition / Information on Ingredients

Name	CAS Number	%
Methyl Acetate	79-20-9	25% - 35%
Proprietary Ingredients	Trade Secret	< 10%
1,1'-phenyliminodipropan-2-ol	3077-13-2	1% - 10%

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

4. First Aid Measures

Eye Contact:	Check for and remove any contact lenses. Immediately flush eyes for at least 15 minutes with running water. Hold eyelids apart to ensure rinsing of the entire eye surface and lids with water. Get immediate medical attention.
Skin Contact:	In case of contact, wash affected areas with plenty of water, and soap, if available, for several minutes. Remove and clean contaminated clothing and shoes before re-use. Get medical attention if irritation occurs.
Inhalation:	Move exposed person to fresh air. If not breathing, give artificial respiration or oxygen. If breathing is difficult, transport to medical care and, if available, give supplemental oxygen. Loosen tight clothing such as a collar, tie, belt, or waistband. Get immediate medical attention.
Ingestion:	Wash out mouth with water. If swallowed dilute by giving two (2) glasses water to drink. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that the vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Get immediate medical attention.
Note to physician:	No specific treatment. Symptomatic and supportive therapy as needed. Call poison control center if large quantities were ingested. Following severe exposure medical follow-up should be monitored for at least 48 hours.

5. Fire-Fighting Measures

Flash point:	>4°C (>39°F)
Hazardous Thermal Decomposition Products:	Decomposition products may include the following materials: carbon dioxide, carbon monoxide, halogenated compounds, metal oxides and other oxides.
Extinguishing Media:	Carbon dioxide, foam, dry chemical, water spray as suitable for the surrounding fire.

Special Exposure Hazards: Highly flammable liquid and vapor. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard. Promptly isolate the scene by removing all persons from the vicinity of the fire. No actions shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special Protective equipment for fire-fighters: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental Release Measures

Personal Precautions: No actions shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering area. Do not touch or walk through spilled material. Avoid breathing vapor or mist and provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Environmental Precautions: Avoid dispersal of spilled material and runoff that leads to contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution.

Methods of Clean Up: Stop leak if without risk. Move containers from spill area. Approach spill from up wind if possible. Prevent spill from entering sewers, rivers and other water courses, basements, or confined areas. Wash into effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material (e.g. sand, earth, vermiculite, or diatomaceous earth) and place in container for disposal according to local regulations. Dispose of only using a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information.

7. Handling and Storage

Handling: Wear appropriate personal protective equipment (see Section 8) when handling. Eating, drinking, and smoking should be prohibited in areas where chemicals are handled, stored, or processed. Workers should wash hands and face before eating, drinking, and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Persons with a history of skin sensitization problems should be employed in processes where this material is used. Keep in the original container or a suitable alternate made from a compatible material. Keep all containers tightly closed when not in use. Empty containers retain product residue and should be disposed of properly. Do not reuse empty containers for other purposes or to hold other materials.

Storage: Store in accordance with local regulations. Store in original containers, at 18°C - 30°C and protected from direct sunlight. Keep away from incompatible materials (see Section 10) and food and drink. Keep all containers tightly closed when not in use and tightly re-seal after use. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure Controls / Personal Protection

Ingredient	Exposure limits
Recommended Monitoring Procedures:	If this product contains ingredients with exposure limits, personal, workplace, atmospheric, or biological monitoring may be required to determine the effectiveness of the ventilation system or other control measures and/or to determine whether it is necessary to use respiratory protective equipment. It will also be necessary to reviewed national guidance documents for determining how to handle and relevant Hazardous Substances
Engineering measures:	No special ventilation requirements are necessary for this product. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation, or other engineering controls to keep worker exposure below the recommended or statutory limits. Use explosion-proof ventilation equipment.
Hygiene measures:	Wash hands, forearms, and face thoroughly after handling any chemical products, before eating, smoking, and using the lavatory and at the end of the work period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protection

Respiratory: In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands: Chemical Resistant, impervious gloves that comply with an approved safety standard should be worn at all times when handling chemical products if a risk assessment indicates that this is necessary. Consider the parameters specified by the glove manufacture and check gloves during use to ensure they are retaining their protective properties.

Eyes: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, or dusts. If contact is possible, use chemical splash goggles unless a higher degree of protection is required.

Skin: Personal Protective equipment for the body should be selected based on the task being performed and the risks involved. Typical protective equipment includes non-absorbent lab coats, disposable protective sleeves, coats, or whole body suits. See a safety specialist to determine the appropriate level of protection for your task.

Environmental Exposure Controls: Emissions from ventilation or work processes should be checked to ensure they comply with the requirements of environmental regulations. In some cases, fume scrubbers, filters, or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and Chemical Properties

Appearance:	Clear to translucent liquid	Odor	Aromatic
Boiling Point:	Not determined	Freezing Point:	Not determined
Flash Point:	>4°C (>39°F)	pH:	Not determined
Auto-ignition Temperature:	Not determined	Flammable Limits:	Not determined
Vapor Pressure:	Not determined	Water Solubility:	Partially soluble
Specific Gravity:	0.90	Vapor Density:	>1 (Air = 1)
Evaporation Rate:	Not determined	VOC:	Not determined
Viscosity:	~100 cP		

10. Stability and Reactivity

Chemical Stability: This product is stable, under normal conditions of storage and use, hazardous reactions will not occur.

Hazardous Polymerization: Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to Avoid: Avoid sparks, heat, open flames and other ignition sources. Exposure to strong oxidizing agents, acids, and bases.

Hazardous Decomposition: Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

11. Toxicological Information

Acute Toxicity

Product/Ingredient Name	Test	Endpoint	Species	Result
Methyl Acetate		LC50 Inhalation Vapor	Rat, 4hours	>50 mg/L
		LD50 Dermal	Rabbit	>2000 mg/L
		LD50 Oral	Rat – male	>6000 ml/kg
1,1'-phenyliminodipropan-2-ol	-	LD50 Oral	Rat	3,800 mg/kg
	-	LD50 Dermal	Rabbit	> 2,000 mg/kg

Irritation / Corrosion

Product/Ingredient Name	Test	Species	Result
Methyl Acetate	OECD 404 Acute Dermal Irritation/Corrosion	Rabbit	Skin – non-irritant
		Rabbit	Eyes – moderate irritant
1,1'-phenyliminodipropan-2-ol	-	Not known	Skin - Mild irritant
		Not known	Eye - Severe Irritant

Sensitizer

Product/Ingredient Name	Test	Species	Result
Toluene	EU EC B.6 Skin Sensitization	Guinea pig	Not sensitizing
	Respiratory system	-	Respiratory System-Slightly irritating

Mutagenicity

Product/Ingredient Name	Test	Result
Methyl Acetate		No date available

Conclusion/ Summary: the weight of scientific evidence indicates that the components of this product are not genotoxic

Carcinogenicity

Toluene is classified by IARC as Group 3 (Not classifiable as to its carcinogenicity to humans). No other component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC, ACGIH, NTP or OSHA.

Reproductive Toxicity

Product/Ingredient Name	Test	Species	Maternal Toxicity	Fertility	Developmental Effects

Teratogenicity

Product/Ingredient Name	Test	Species	Results
Methyl acetate			No data available

Potential Acute Health Effects

Inhalation: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Ingestion: May cause burns to mouth, throat, and stomach. May be harmful by ingestion.

Skin Contact: May cause skin dryness and sensitization by skin contact.

Eye Contact: Causes serious eye damage.

Potential Chronic Health Effects

Product/Ingredient Name	Test	Endpoint	Species	Results

General: Once sensitized, an allergic reaction may occur when subsequently exposed to very low levels

Target Organs: Primarily lungs, stomach, & central nervous system

Carcinogenicity: No known significant effects or critical hazards

Mutagenicity: No known significant effects or critical hazards

Teratogenicity: No known significant effects or critical hazards

Developmental Effects: No known significant effects or critical hazards

Fertility Effects: No known significant effects or critical hazards

12. Ecological Information

Environmental Effects: : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Aquatic Ecotoxicity

Product/Ingredient Name	Test	Endpoint	Exposure	Species	Result
Methyl Acetate	OECD 202 Daphnia Sp. Acute Immobilization Test	Acute EC50	24 hours Static	Daphnia	>1027 mg/L

Persistence and Degradability

Product/Ingredient Name	Test	Period	Result
Methyl Acetate	-OECD derived from OECD 301F (Biodegradation test)	days	>70%

Product/Ingredient Name	Aquatic half-life	Photolysis	Biodegradability

Bioaccumulative potential

Product/Ingredient Name	Log P _{ow}	BCF	Potential

Other adverse effects: No known significant effects or critical hazards

Other information: BOD5: Not determined COD: Not Determined TOC: Not determined

13. Disposal Consideration

Waste Disposal Method: Disposal of this products, solutions, and by-products should at all times comply with the requirements of environmental and waste disposal legislation and any regional or local authority requirements. Dispose of surplus, non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed on untreated to the sewer system unless this is compliant with all applicable laws and regulations. Incineration by an approved and licensed contractor is the most common

disposal method. Packaging materials that and absorbents containing the product can typically be landfilled or incinerated. Contact local authorities to determine the proper means of disposal in your area.

14. Transport Information

DOT: Non-Bulk		Label:	Flammable Liquid
Proper Shipping Name:	Resin Solution		
Hazard Class:	3	ID Number:	UN1866
		Packing Group:	PGII
IATA: Non-Bulk		Label:	Flammable Liquid
Proper Shipping Name:	Resin Solution		
Hazard Class:	3	ID Number:	UN1866
		Packing Group:	PGII

15. REGULATORY INFORMATION

US Federal Regulations:

Occupational Safety and Health Act (OSHA): This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Resource Conservation and Recovery Act (RCRA): This product is considered to be a hazardous waste under RCRA (40 CFR 261).

Clean Air Act Section 112(b) Hazardous Air Pollutants: This product does not contain chemicals regulated under Section 112(b) Hazardous Air Pollutants.

SARA Title III: Section 304 - CERCLA: This product does not contain chemicals regulated under Section 304 as extremely hazardous substance(s) for emergency release notification ("CERCLA" List):

SARA Title III: Section 311/312 - Hazard Communication Standard (HCS): Fire hazard, Immediate (acute) health hazard, Delayed (chronic) health hazard

SARA Title III: Section 313 Toxic Chemical List (TCL): This product does not contain a toxic chemical for routine annual Toxic Chemical Release Reporting under section 313 (40 CFR 372).

TSCA Section 8(b) - Inventory Status: All chemical(s) comprising this product are listed on the TSCA inventory.

TSCA Section 12(b) - Export Notification: This product does not contain chemicals which are subject to Section 12(b) export notification.

State Regulations:

California Proposition 65: This product does not contain chemicals known to the State of California birth defects or reproductive harm:

International Regulations:

REACH Status (EC 1907/2006): This material has been registered, pre-registered, or is otherwise exempt from registration under REACH.

REACH Annex XIV (SVHC): No listed components as of validation date

Reach Annex XVII (Restrictions on the manufacture, placing on the market & use of certain dangerous substances, mixtures, and articles): Toluene (CAS 108-88-3)


WHMIS: Class B-2: Flammable Liquids: Flashpoint of <37.8°C (100°F)
Class D-2B: Material causing other toxic effects (Toxic)

Brazilian Regulations: Norma ABNT-NBR 14725-2:2012

International Lists:

Australia Inventory (AICS):	all components are listed or exempt	Malaysia Inventory (EHS register):	not determined
Canadian Inventory (CEPA-DSL):	all components are listed or exempt	New Zealand Inv. of Chem. (NZIoC):	all components are listed or exempt
China Inventory (IECSC):	all components are listed or exempt	Philippines Inventory (PICCS):	not determined
Japan Inventory (ENCS):	all components are listed or exempt	Taiwan Inventory (CSNN):	not determined
Korea Inventory (ECL):	all components are listed or exempt		

16. OTHER INFORMATION

Hazardous Material Information System (HMIS) - USA		National Fire Protection Association (USA):	
Health	1		
Flammability	3		
Physical Hazards	1		
Personal Protection	C*		

*suggested minimum personal protection equipment. End user must determine appropriateness of these suggestions for their applications and usage conditions.

Reason Issued: update
Prepared by: C. Meyer

Approved by: C. Meyer

Title: Vice President

NOTICE TO READER: While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF PRODUCTS FOR THE USER'S PARTICULAR PURPOSE(S).

THIS PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

The product(s) has not been tested for, and is therefore not recommended for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended; or for uses for which implantation within the human body is intended.